KING CONTROLS.

DISH NETWORK® HD SATELLITE SYSTEMS

Fully Automatic HD Satellite Antennas at a Breakthrough Price Point!

For the first time ever, antennas designed to communicate directly with the satellite receiver and eliminate all the hassles of set-up. Simply turn your receiver and TV on to display a custom search screen on your TV. Using the satellite receivers' remote control, select the state you are in and select scan. Within minutes the antenna finds all 3 HD satellites and downloads your programming!

- **Half the Price of Competing Products!**
- **Portable and Roof Mount Designs**
- **Receiver Remote Controls all Hardware**
- **Dish HD & SD (110, 119 & 129 satellites)**
- **Completely Automatic Acquisition & Switching**
- **Single Coax Connection – No Power Cables**

NEW!

TAILGATER™ AUTOMATIC PORTABLE

The first truly automatic portable satellite antenna with fully integrated antenna and receiver software. Automatic satellite acquisition with no separate remote control or power source required. Just connect the Tailgater to your DISH Network VIP211k HD receiver via the supplied 50ft. coaxial cable and in minutes your watching your favorite satellite TV shows in crystal clear HDTV. The custom designed user interface with on-screen graphics is an exclusive feature you'll not find with other mobile antennas and makes for an effortless setup. No need to reconfigure the receiver when you take it back and forth between your home and RV. With the Tailgater, receiver configuration is automatic – no more check switches! Just place it anywhere in your campsite with a clear view to the southern sky. It even tells you if satellite signal is partially or completely blocked via on-screen diagnostics. Less than half the price of other automatic satellite antennas but without all the set-up hassles. For reception of DISH Network SD and HD programming. Requires customer supplied DISH Network model VIP211k receiver.

19178 Tailgater Automatic Portable
#VQ2500 1

tailgater BY DISH NETWORK

KING-DOME® AUTOMATIC ROOF MOUNT

All the same great features of the Tailgater antenna but in a traditional roof mounted dome designed for permanent installation. Ideal for motorhome owners wanting quick satellite TV set-up while parked in areas generally clear of trees and other obstacles. Can be wired through an A/B switch to allow use of a Tailgater portable antenna when parked in the trees. Also lets you upgrade your existing roof mounted satellite dish, King-Dome or others, to full HDTV capabilities with no need to install additional cables or find an external power source. Just use the coaxial cable from your existing satellite dish or from the satellite prep installed by the OEM and you're already pre-wired! For reception of DISH Network SD and HD programming. Dual LNB with auxiliary coax output for second receiver. Sleek, aerodynamic 14.5" dome with high gain antenna for best possible reception. Powered by receiver over single coaxial cable connection. Requires customer supplied DISH Network model VIP211k receiver.

19287 King-Dome Dish HD - White
#KD5500 1

19288 King-Dome Dish HD - Black
#KD5500B 1

King-Dome

DISH NETWORK® HDTV RECEIVER

The single tuner Solo VIP211k HD receiver is the most versatile satellite receiver for RV use. While it is compatible with a variety of satellite antennas, it includes custom integrated software for the VQ2500 and KD5500 antennas. The compact design (1.9"H x 13.2"W x 10.2"D) requires minimal cabinet space and runs cooler than other receivers. A built-in digital over-the-air tuner lets you scan for local channels and provides a seamless program guide for both satellite and local OTA channels without switching the TV input. Add to your existing Dish Network home account or start a new pay-as-you-go account to purchase service in 30 day increments with no contracts or commitments. DVR ready – just connect your own external hard drive and pay a one-time nominal fee to enjoy DVR features with no recurring monthly DVR fee. Record, pause and re-wind live satellite and over-the-air programs. Includes HDMI cable and universal IR remote to control the receiver, TV and 2 other devices.

19232 HDTV Receiver
#VIP-211K 90

dish

DISH Network and VIP211k are trademarks of DISH Network.

KING CONTROLS.

◆ *Not UPS-able;* ▲ *Hazmat terms apply;* LS *Limited Supply*

Only pay for TV when you need it and view it where you want it.

1 Purchase a Mobile Satellite Antenna That Supports HD

Only DISH Network offers HD on all automatic mobile satellite antenna brands and lets you watch HD programs while your RV is on the road.

There are many types of mobile satellite antennas. Check with your in-store representative to find the best one for your needs.

2 Purchase a DISH Mobile ViP® 211k HD Receiver

- Supports both HD and SD
- Compact and lightweight design
- Weather and Scoreboard Apps
- DVR ready–add external hard drive to record, pause & playback

Product Number: 19232

Suggested Retail: $149

Packages Starting at

$24.99 mo

Everyday Price

EVERYDAY PRICE GUARANTEE UNTIL 2013!

- No Contract Required
- HD Available
- No charges or phone calls required to start and stop monthly service
- View off-air channels through your HD receiver

3 Subscribe to DISH Network Programming

DISH Network is the first, and only, provider to offer pay-as-you-go TV for your RV.

Call **1-800-472-1039** toll-free to activate and order programming.

Everyday price guarantee valid only on the following packages: DishFAMILY, America's Top 120, America's Top 120 Plus, America's Top 200, America's Top 250, DISH America, DISH America Silver, DISH America Gold.

Not available in Canada.

DVR functionality requires a one time $40 activation fee.

Restrictions Apply. Ask for details.

dish NETWORK®
AUTHORIZED DISTRIBUTOR



ROOF MOUNT SATELLITE SYSTEMS

KING-DOME®AIR: ONE ANTENNA FOR ALL YOUR DIGITAL HDTV VIEWING!

Enjoy all your favorite digital satellite and high definition over-the-air local channels from a single antenna. There's nothing to raise or lower – the King-Dome Air is always ready to travel when you are. Works with HD programming for DISH Network® and Bell TV as well as standard digital programming for DirecTV®, DISH Network and Bell TV and most receivers.

• Automatic • Latest DVB technology for positive satellite ID
• Auto satellite switching • Dual LNB for 2 receivers • 12.5" dome height
• Combine with existing OTA antenna for improved digital TV reception

Service Provider Compatibility: • DIRECTV SD 101˚, 119˚ • DISH SD 110˚, 119˚ • DISH HD 61˚, 72˚, 77˚, 110˚, 119˚, 129˚ • Bell SD 91˚ • Bell HD 82˚, 91˚

KING-DOME®AIR AUTOMATIC

Automatically locks on satellites while parked.
Just push a button and within minutes you have all your favorite channels at your fingertips. Built-in DVB technology makes this antenna compatible with a variety of receivers and service providers including DISH Network, DirecTV and Bell TV. HD compatible for DISH Network and Bell TV satellite services with automatic satellite switching when changing channels. Roof mounted design requires no set-up at your campsite and is always ready for use or travel.

10315 Stationary Auto, 12" – White *#KD-2200* 1
10317 Stationary Auto, 12" – Black *#KD-2200-B* 1

KING-DOME®AIR IN-MOTION

Enjoy live satellite TV while heading down the highway.
Get up-to-the-minute news, weather and sports or watch a blockbuster movie while on the way to your next destination. With the King-Dome® AIR In-Motion antenna you get reliable, crystal clear satellite TV reception while parked or driving. You also get the most HD channels available via satellite and off-air from a single antenna for the ultimate HDTV experience. When driving into your campsite, you'll know you have an unobstructed view to the satellite before you even let the jacks down.

10316 In-Motion, 12" – White *#KD-3200* 1
10322 In-Motion, 12" – Black *#KD-3200-B* 1
15105 In-Motion Upgrade 9704 & KD2200 Series *#9743* 1

TRAC-KING

Extremely fast satellite tracking & full digital display.
With tracking speeds greater than 60 degrees per second, the Trac-King is the fastest in-motion satellite TV antenna available. Offers truly silent operation. A unique rotary joint design provides for a single cable installation. A digital display shows satellite signal strength, which satellite is being tracked and offers full diagnostics. Off-air antenna feature not included. Use with standard programming for DirecTV and Bell TV.

13245 Trac-King, 12" – White *#9762-LP* 1
14493 Trac-King, 12" – Black *#9762-LP-B* 1

PORTABLE SATELLITE SYSTEM

VUQUBE® - REMOTE CONTROLLED PORTABLE SATELLITE ANTENNA

Ideal for DirecTV® or Bell TV customers wanting quick and easy access to programming from a single satellite location. Ultra-portable design is much easier to use than traditional portable dishes and offers a simple, one person set-up. NEW improved wireless transmitter provides reliable antenna control up to 100' away. Easily elevate and rotate the dish from inside your RV using the wireless remote control. A digital display shows antenna elevation and rotation. Self leveling feature offers fast, reliable operation with no need for tripod or other leveling accessory. The VuQube® is powered by your satellite receiver via the supplied 50' coaxial cable with no additional power or control cables required. Includes tamper proof security ring for theft protection. Supports 1 receiver.

16746 VuQube Remote Controlled, with Auto-switching *#VQ-1000* 1

LADDER BRACKET

Use to secure any model VuQube antenna to your rear ladder. Quick release with security lock. No cables included.

17405 Ladder Bracket *#MB-400* 1

FLEX INSTALL KIT

The MB410 Flex Install Kit allows semi-permanent installation of VuQube models VQ2000 and VQ3000 on the rear ladder of your RV, and includes everything required to hard wire your RV for the VuQube.

17407 Flex Install Kit *#MB-410* 1

DISH Network, DIRECTV and Bell TV are trademarks of their respective companies.

KING CONTROLS

JACK® DIGITAL TV ANTENNA

87581, Crank

BUILT-IN SIGNAL FINDER

AERIAL MOUNT ANTENNAS

Upgrade to the latest antenna technology and get maximum reception of the new digital TV signals. The sleek, aerodynamic JACK® antenna is fixed at 11-1/4" high eliminating the need to crank up or down and is always ready for travel. An amplified, ultra high gain antenna provides the best digital TV reception available for your RV with superior reception of both VHF and UHF signals and a much broader reception range. The built-in SureLock® Digital TV Signal Finder let's you pinpoint the local TV towers before scanning for channels for simple, fool-proof antenna pointing. Full 360° rotation allows for precise antenna pointing with no "dead spot" commonly found with other antenna mounts. An LED light on the head confirms power to the built-in amplifier via the supplied wall mount power injector switch. At just 11.25"H x 16"W x 12.5"L, the JACK® is up to 70% smaller than other antennas and provides superior reception of the new digital TV signals. Available in black or white.

87581 Jack Antenna, White *#OA8200* 1
87582 Jack Antenna, Black *#OA8201* 1

REPLACEMENT HEAD FOR SENSAR®

Sensar® is a registered trademark of Winegard® Company. Jack® is a product of King Controls® and is not affiliated with nor manufactured by Winegard® Company.
Replace your old Sensar® antenna with the JACK® replacement head for better digital TV reception. Includes custom bracket for simple retrofit to your current antenna mast using the existing mounting pins.

Broader reception range helps to receive signals found in the "dead spot" or 35° of rotation not reached by the existing mount. The amplified antenna can be powered by your existing antenna power supply or used with the included power injector. A universal mounting bracket is also included for installation on a pole or railing for residential use. At just 2.25"H x 16"W x 12.5"D, the JACK® replacement head is 70% smaller with improved wind resistance and weighs 25% less than the existing antenna head.

87264 Replacement Head, White *#OA-8000* 10
87580 Replacement Head, Black *#OA8001* 10

NEW!

MOUNTING PLATE

Use when replacing existing antenna to cover all pre-existing screw holes for a simple water-tight seal.

87711 Mounting Plate *#MB8000* 10

ANTENNA POWER INJECTOR SWITCH

Twelve volt DC power supply for amplified antenna with flush wall mount plate. Inputs for TV antenna and cable with built-in selector switch. F-type connectors for 2 TV outputs.

87583 Power Supply, White *#PB1000* 1
87584 Power Supply, Black *#PB1001* 1

SURELOCK® DIGITAL TV SIGNAL FINDER

SURELOCK™ DIGITAL TV SIGNAL FINDER

Use the SureLock® to pinpoint the location of local TV towers before doing a channel scan for simple, fool-proof antenna pointing. Greatly reduces set-up time and frustration by eliminating the need for multiple channel scans in different directions. Simple plug-n-play design connects to any available TV antenna output or may be installed inline between the antenna and TV. Rotate the antenna until the maximum number of LED's are illuminated in the signal meter, then run a channel scan. Variable gain control feature let's you adjust sensitivity for optimal resolution in both strong and weak signal areas. For use with any over-the-air TV antenna. 3"H x 3"W x 1"D.

87572 SureLock Signal Finder *#SL1000* 40

** More accessories are presented on page 50.*

KING CONTROLS

WINEGARD®
TRAV'LER®

AUTOMATIC MULTI-SATELLITE TV ANTENNAS

The ULTIMATE in satellite TV viewing!

- The only antenna capable of viewing all satellites at the same time.
- DIRECTV Slimline is the only antenna to offer complete DIRECTV HD
- Approved and certified reflectors for strongest signal strength
- Works great with DVRs /PVRs
- Low profile when stowed
- Can tolerate a roof slope of +/- 5° off level

TRAV'LER DISH NETWORK®

DISH Network's premier reflector dish used for home systems. Automatic, one button on/off antenna views all satellites at the same time for maximum reception performance. Works great with DVRs! Receives all DISH Network® standard and HD programming from satellites (110°, 119° and 129°)simultaneously. Also receives all Bell TV standard and HD programming from satellites 82° and 91° simultaneously.

86831 Trav'ler Dish 1000/Bell TV
#SK-1000 ◆ *1*

TRAV'LER DIRECTV® TRIPLE LNB

Ideal for DIRECTV customers interested in receiving all standard DIRECTV programming, not HD. Automatic, one button on/off antenna views all DIRECTV KU-band satellites (101°, 110° and 119°) at the same time for maximum reception performance. Not compatible with DIRECTV KA-band satellites. Works great with DVRs!

86828 Trav'ler DirecTV Triple LNB
#SK-3003 ◆ *1*

TRAV'LER DIRECTV® SLIMLINE KU/KA

Get everything DIRECTV has to offer with the TRAV'LER Slimline! This fully automatic, one button on/off antenna receives programming from all 5 DIRECTV satellites at the same time for maximum HD and standard DIRECTV coverage! Receives both KU-band satellites (101°, 110° and 119°) and KA-band satellites (99° and 103°) signals simultaneously. Works great with DVRs!

86829 Trav'ler DirecTV Slimline KA/KU
#SK-3005 *1*

TRAV'LER SHAW DIRECT

The solution for Canadian RVers! Fully automatic, one button on/off antenna receives signals simultaneously from Shaw Direct KU-band satellites 107.3° (English language programs) and 111.1° (French language programs and HD programming). Works great with PVRs. Order both models listed below for complete unit.

87096 Trav'ler Shaw Direct Mount
#SK-7002 ◆ *1*

87097 Trav'ler Shaw Direct Reflector & LNB *#SKA-722* ◆ *1*

Model	DISH Network 86831	DIRECTV Slimline 86829	DIRECTV Triple LNB 86828	SHAW DIRECT 87096/87097
Type	Stationary	Stationary	Stationary	Stationary
Satellite Viewing	3 at a Time	5 at a Time	3 at a time	2 at a time
DIRECTV Basic	No	Yes	Yes	No
DIRECTV HD	No	Yes	No	No
DISH Network HD	Yes	No	No	No
Bell TV HD	Yes	No	No	No
Shaw Direct HD	No	No	No	Yes
Stow Height	9.75"	9.75"	9.75"	11.75"
Unit Weight	45 lbs.	53 lbs.	43 lbs.	54 lbs.
Dimensions	42"L x 26"W	44"L x 34"W	40"L x 24"W	48"L x 38"W

Winegard, Sensar, TRAV'LER, RoadTrip, Carryout, and Wingman are registered trademarks of Winegard Co. Digital Magic, RoadStar, MiniMax, Mission, SensarPro and MP1 are trademarks of Winegard Co. DISH Network is a registered trademark of EchoStar Satellite L.L.C. DIRECTV is a registered trademark of DIRECTV, Inc., a unit of Hughes Electronics Corp. Bell TV is a trademark of Bell Canada, Inc. Shaw Direct is a trademark of Shaw Satellite G.P. All other trademarks are official trademarks of their respective owners.

TRAV'LER ACCESSORIES

Communication cable 25' long extension power/communication cable. Connects directly to the existing TRAV'LER power/communication cable to allow for runs up to 50'.

S/O #CL-SK26

Roller plate designed to create solid landing area for LNB arm. Ideal for rubber roofs.

S/O #SKA-004

Mounting plate (Opt.) designed for extra support in thin roof installations.

S/O #SKA-008

All Winegard Antennas made in USA.

WINEGARD

ROADTRIP® MISSION™
AUTOMATIC 12.9" SATELLITE TV ANTENNAS

Mission accomplished! The RoadTrip Mission antenna offers the same powerful and reliable performance Winegard is known for in an all-new sleek, ultra-compact antenna. Easy one-button on/off automatic operation with DVB technology delivers fast and accurate satellite acquisition. Enhanced antenna design combined with the high gloss rounded dome provide for unmatched signal strength, especially in inclement weather. Receives standard DIRECTV® programming; all standard and HD DISH Network® and Bell TV programming. Supports two receivers for simultaneous viewing of different programs located on the same satellite. Available in stationary or in-motion; white or black dome options. Wall switch, power and coax cables included. Only 12.9"H x 20" Dia.

12.9" RoadTrip Mission In-Motion Antennas
87660 "In-Motion", White *#RT4000T* ◆ *1*
87662 "In-Motion", Black *#RT4035T* ◆ *1*

12.9" RoadTrip Mission Stationary Antennas
87659 "Stationary", White *#RT4000S* ◆ *1*
87661 "Stationary", Black *#RT4035S* ◆ *1*

RoadTrip® Mission™ Features

NEW!

- √ Stationary and In-motion models
- √ One-button on/off operation
- √ Sleek low profile - 12.9" height
- √ Small footprint - 20" diameter
- √ Enhanced antenna design
- √ High gloss, rounded dome for max performance in bad weather
- √ Standard programming: DISH Network®, DIRECTV®*and Bell TV™
- √ HD programming: DISH Network® and Bell TV™
- √ Supports up to 2 receivers (sold separately)
- √ Feet attached to base to simplify roof-mount
- √ Panel mount for easy cable connections
- √ Wall switch, power and coax cables included

Sleek low profile makes antenna hardly noticeable.

www.winegard.com/mission

	RoadTrip Mission	RoadTrip Mission
Model	87660(Wh)/87662(Blk)	87659(Wh)/87661(Blk)
Type	In-Motion	Stationary
Satellite Viewing	1 at a time/auto toggles	1 at a time/auto toggles
DIRECTV Basic	Yes	Yes
DIRECTV HD	No	No
DISH Network HD	Yes	Yes
Bell TV HD	Yes	Yes
Ht. x Dia.	12.9" x 20"	12.9" x 20"
Unit Wt. (Metal Base)	18.6 lbs.	18.6 lbs.
Ship Wt. (Metal Base)	28.5 lbs.	28.5 lbs.

MADE IN U.S.A.

All Winegard Antennas made in USA.

dish HD READY
DIRECTV SATELLITE TELEVISION

Call Winegard for the Complete Solution...Antenna, Receiver & Programming!
1-866-609-9374

NOTE: Antenna to be transitioned to new base fall 2011. New unit wt. 14 lbs, ship wt. 22 lbs.

6 = Std. Carton Qty.

WINEGARD

ROADTRIP® MINIMAX™
AUTOMATIC 15.6" SATELLITE TV ANTENNAS

What makes this antenna so great is its MINI size and MAXimum signal reception. MiniMax features an enhanced antenna design and a high-gloss rounded dome to deliver maximum performance.

Easy one-button on/off automatic operation with DVB technology to provide fast satellite acquisition. Single satellite viewing antenna automatically switches between satellites. Receives all standard and HD programming from DISH Network® and Bell TV; standard DIRECTV® only. Not compatible with DIRECTV KA-band satellites. Includes wall switch, power and coax cables. 15.6"H x 20" Dia.

15" RoadTrip Minimax In-Motion Antennas

87508 "In-Motion", White *#RT8000T* 1
87509 "In-Motion", Black *#RT8035T* 1

15" RoadTrip Minimax Stationary Antennas

87252 "Stationary", White *#RT8000S* 1
87253 "Stationary", Black *#RT8035S* 1

RoadTrip® Minimax™ Features

- √ Stationary and In-motion models
- √ One-button on/off operation
- √ Compact size – 15.6" h x 20" dia
- √ Enhanced antenna design
- √ High gloss, rounded dome for max performance in bad weather (rain, dew, snow)
- √ Standard programming: DISH Network®, DIRECTV®*and Bell TV™
- √ HD programming: DISH Network® and Bell TV™
- √ Supports up to 2 receivers (sold separately)
- √ Panel mount for easy cable connections
- √ Wall switch, power and coax cables included

	RoadTrip MiniMax	RoadTrip MiniMax
Model	87508(Wh)/87509(Blk)	87252(Wh)/87253(Blk)
Type	In-Motion	Stationary
Satellite Viewing	1 at a time/auto toggles	1 at a time/auto toggles
DIRECTV Basic	Yes	Yes
DIRECTV HD	No	No
DISH Network HD	Yes	Yes
Bell TV HD	Yes	Yes
Ht. x Dia.	15.6" x 20"	15.6" x 20"
Unit Weight	13.5 lbs.	13.5 lbs.
Ship Weight	20 lbs.	20 lbs.

MADE IN U.S.A.

All Winegard Antennas made in USA.

WINEGARD

100% Automatic!

CARRYOUT
PORTABLE SATELLITE TV ANTENNA

DISH Network
Bell TV
HD READY

REALTREE AP

- **Automatically switches between satellites - *no remote or controls needed***
- **View one satellite at a time**
- **Easy grip handle for effortless carrying**
- **Eyelet on base for added security**
- **Standard DIRECTV programming**
- **Standard and HD DISH Network and Bell TV programing**
- **Supports up to 2 receivers**
- **Stationary use only**

19286	15" Carryout Automatic, White *#GM-1518*	1
S/O	15" Carryout Automatic, Camo RealTree AP Camouflage Dome # GM-1599	
S/O	15" Carryout Black Dome Only with Handle# RP-GM35	

All Winegard Antennas made in USA.

Carryout Automatic Accessories

• TRIPOD MOUNT

Aluminum tripod elevates your Carryout (both 19286 automatic and 87510 manual models) off the ground for protection from mud and water. Adjustable height settings from 14 " to 22". Ground anchor, 6" bungee cord and anchor loop hold the antenna securely. Assembles easily/quickly disassembles for compact storage. Ship. weight, 4.4 lbs

87265 Carryout Tripod Mount *#TR-1518* 4

• LADDER/POLE MOUNT

Mount your Carryout Automatic Portable antenna to the RV ladder for temporary or permanent installation. Weather resistant powder coated mount features quick disconnect, so you can remove your Carryout antenna and set it on the ground or take it with you anywhere! Extends from 19.5" – 23.5" in two inch increments for 3 setting options. Comes with wall plate with on/off switch for convenient operation from inside the coach, cable entry plate, 50' coax and 25' power cable without lighter adapter plug. Verify your ladder can support total weight of Carryout antenna and mount – 20 lbs. Unit weight 5.5 lbs, shipping weight, 8.5 lbs.

87239 Carryout Ladder Mount *#GM-3000* 1

• POWER CONVERTER

Sunforce 12V AC/DC power converter allows you to hook up your Carryout to 110V when 12V is not available. Use only with appropriately sized products; do not exceed 5.8 amps.

10002 Power Converter *#55522* 20

6 = Std. Carton Qty.

WINEGARD

100% Automatic!

PORTABLE
SATELLITE TV ANTENNA

CARRYOUT® SHAW DIRECT

NEW!

- Quick and easy set-up
- Automatically finds satellite
- Lighweight and durable
- Easy grip handle for effortless carrying
- Eyelet on base for added security
- Receives standard Shaw direct programming on satellite 107°
  (receiver and programming package not included)
- Supports up to 2 receivers
- Stationary use only
- Dimensions: 15.6" H x 20" dia.
- For use ONLY in Canada

20004 15" Carryout Shaw Direct
#GM-0700 1

CANADA COVERAGE AREA

COMPATIBLE WITH SHAW DIRECT

All Winegard Antennas made in USA.

Carryout Automatic Accessories

• TRIPOD MOUNT

Aluminum tripod elevates your Carryout (both 19286 automatic and 87510 manual models) off the ground for protection from mud and water. Adjustable height settings from 14 " to 22". Ground anchor, 6" bungee cord and anchor loop hold the antenna securely. Assembles easily/quickly disassembles for compact storage. Ship. weight, 4.4 lbs

87265 Carryout Tripod Mount *#TR-1518* 4

WARNING: Antenna is not for use with Winegard Ladder Mount for temporary or permanent installation.

• POWER CONVERTER

Sunforce 12V AC/DC power converter allows you to hook up your Carryout to 110V when 12V is not available. Use only with appropriately sized products; do not exceed 5.8 amps.

10002 Power Converter *#55522* 20

WINEGARD

CARRYOUT® MP1™

MANUAL PORTABLE SATELLITE TV

Fully encloses inside durable case and features FAST and EASY set-up!

25' Coax cable allows optimal antenna placement and stores in base for easy stowing

Bubble Level helps to check antenna is level for easy set up

Elevation markings and knobs assist in elevating and locking antenna at exact angle

Azimuth Lock Knob threads through center of top portion and base to prevent left to right movement

Twist on/off cap provides easy way to fill top portion with water or sand for increased stability

Compass ensures antenna is pointed to correct southern setting

Durable Case protects dish while not in use and functions as mount during use

- Supports up to 2 receivers
- Compatible with 87265 tripod mount
- Dimensions: 17"w x 17"h x 10"d, 9 lbs.
- For Stationary use only
- Standard and HD programming for DISH Network® and Bell TV™
- Standard DIRECTV® programming (Does not work with 110° for HD or KA-band satellites 99°, 103°)

87510 Carryout MP1 Manual Portable Antenna *#GM-MP1* 1

TRIPOD MOUNT

Aluminum tripod elevates your Carryout (both 19286 automatic and 87510 manual models) off the ground for protection from mud and water. Adjustable height settings from 14 " to 22". Ground anchor, 6" bungee cord and anchor loop hold the antenna securely. Assembles easily /quickly disassembles for compact storage. Ship. weight, 4.4 lbs.

87265 Carryout Tripod Mount
#TR-1518 4

SATELLITE FINDER METER

Meter with audio tone helps you align manual satellite antenna to signal. Includes coax for installing meter between satellite antenna and receiver.

82268 Satellite Finder Meter
#SF-1000 6

SATELLITE ALIGNMENT COMPASS

Use local zip code to obtain azimuth setting from satellite receiver. Aim your dish in the direction indicated by the compass. Easy to read instructions printed on compass.

83599 Satellite Compass
#SC-2000 12

DIGITAL SMART COMPASS

Smallest and lightest digital compass. Instant directions and due-north LCD readout. With water resistant case, compass is highly accurate and easy to use. Comes with keychain clip or lanyard. Requires lithium battery, included. Compass measures 1-1/4" x 2".

86268 Digital Satellite Compass
#SC-8000 20

All Winegard Antennas made in USA.

WINEGARD

Crank-up and Accessories

18" CRANK-UP SATELLITE DISH WITH DIGITAL MAGIC™ SENSOR

Raise, lower and rotate the 18" dish with hand crank from inside vehicle. Digital Magic™ elevation sensor makes finding the satellite faster and easier. After you park, the LCD readout inside your vehicle shows the elevation of the dish within 2 degrees, even if not parked level. 30" deployed, 8" stowed, wt. 12 lbs.

All Winegard Antennas made is USA.

Crank-Up Dish:

84170 Antenna, without Digital Magic Sensor *#RM-4600* 1

84171 Antenna, with Digital Magic Sensor *#RM-DM46* 1

84291 Combination 18" Crank-up Satellite Antenna with Omnidirectional over-the-air antenna for local channels. Without Digital Magic. (Not Pictured) *#RM-4610* 1

DIGITAL MAGIC™ ELEVATION SENSOR

Digital Magic elevation sensor gives the exact elevation of the antenna on an LCD readout inside the vehicle. Accurate to within 2° even when the vehicle is not level. The sensor is installed on the elevating tubes or the back of the antenna and wired to the wall plate. Includes 20' of 3-conductor cable. Requires + 12 VDC or a 9V battery. Ideal for models 84170, 84291.

82357 Digital Magic Sensor *#DM-4000* 6

EXTERIOR ROOF WEDGE

Designed to level satellite TV antenna on vehicle with uneven roof. For vehicles with extremely sloped roofs, multiple wedges may be needed. For use with RM model Winegard crank-up satellite antennas.

84203 Roof Wedge, RM Series *#RW-5000*

INTERIOR SATELLITE ANTENNA REPLACEMENT CRANK

Replacement interior hand crank for manual crank-up satellite antennas.

84531 Replacement Crank Handle *#RK-HAND* 6

INTERIOR SATELLITE ANTENNA CONTROL PARTS

Replacement interior control parts kit for manual crank-up satellite antennas. Includes ceiling plate with directional handle, directional handle extension and hardware. Crank handle sold separately.

84530 Ceiling Control Parts Kit *#RK-CEIL* 1

RM Series Thick Roof Kit (not shown) for RVs with roof thickness of 5" to 6.75". For RM models only. Includes longer elevating shaft, directional handle and extension. **82332** Thick Roof Kit *#RP-4200* 1

WINEGARD

HEAVY DUTY TRIPOD MOUNT

Sturdy powder-coated steel tripod mount with 1.66" OD mount pipe compatible with all DISH Network®, Shaw Direct and Bell TV™ antennas, plus all DIRECTV® antennas except Slimline. Fully adjustable legs allow up to a 45° angle setting for ultimate stability and expand and retract between 28" - 37" for an optimal setting. Includes handy nylon bag which attaches to leg when not in use to store 3 ground anchors, satellite alignment compass and bubble level also included. Tripod folds to 36" requiring minimal storage space. Wt.10-1/2 lbs. Made in the U.S.A.

87579 Multi-Satellite Tripod Mount *#TR-3535* 1

WINEGARD

TRIPOD/ BASE MOUNT

For use with 18" Home Satellite Dish Antenna (Not for use with Portable Dishes)

Ideal when permanent mounting is not desirable. Great for short stops, wooded areas, boat docks, decks, etc. Works with a standard 18" single satellite viewing home dish. Azimuth degree markings molded in. Includes removable legs, ground anchor, bungee cord, compass and level. Not for use with portable satellite TV antennas. 8-1/4" x 8-1/4" x 19". Weight: 5 lbs.

83598 Tripod Mount *#TR-2000* 1

WINEGARD

COAXIAL CABLE

Low loss RG-59 coaxial cable. Connectors attached.

80019 8' Cable Kit *#CX-0008* 12

80021 25' Cable Kit *(Shown)* *#CX-0025* 12

All trademarks and registered trademarks are the property of their respective owners.

WINEGARD

SENSAR® IV

VHF/UHF/DIGITAL OVER-THE-AIR TV ANTENNA

#1 ANTENNA IN THE RV INDUSTRY FOR 25 YEARS!

Winegard has taken the powerfully performing Sensar III antenna and integrated it with the UHF enhanced Wingman® antenna for the ultimate in over-the-air TV viewing! Optimized for the new DTV spectrum, this amplified antenna receives all available VHF/UHF channels so you can enjoy watching all your favorite local programs while parked.

Raise, lower and rotate the antenna with hand crank from inside your RV. It's easy to install and lowers to only 4" inches above the roof while traveling. Integrated Sensar head requires 46.25" L x 15.25" W, unobstructed roof space while stowed. 87512 includes amplified antenna and lift assembly, +12 VDC white power supply with on/off switch, white interior control parts and 20 feet of 75 ohm coax cable.

Sensar IV head U.S. Patent D620,483.

87512 HD Sensar IV Integrated Amplified Antenna/Lift *#RVW-395* 1

87511 HD Sensar IV Integrated Replacement head, amplified *#RVW-205* 1

abcHD PBS HD CBS HD THE CW HDTV myTV HD FOX HD plus more

Fast and Easy UHF Upgrade For Your Sensar® Antenna

WINGMAN®

- Lightweight sleek add-on attaches to existing Sensar head II or III with simple snap-on screws
- Increases UHF db gain up to 100% on DTV channels giving you more range
- Compatible with all Sensar antennas made after 1990
- Powder coated for long lasting durabiolity in harsh environmental conditions
- Dim: (Box) 16.5"W x 14"D x 1.4"H; Weight 1 lb.

US Patent D612, 369




Digital Reception
Sensar vs Sensar with Wingman
Excellent Digital Reception
Great Digital Reception
VHF Channels 2-13
UHF Channels 14-51
VHF Channels 2-13
UHF Channels 14-51
SensarII or III only
Sensar II or III with Wingman
Sensar with Wingman DTV boost provides excellent VHF and UHF digital reception.

WINGMAN™ SENSAR ANTENNA UHF UPGRADE

87174 Wingman Antenna *#RV-WING* 5

All Winegard Antennas made is USA.

All trademarks and registered trademarks are the property of their respective owners.

WINEGARD® Sensar Pro™ TV SIGNAL METER

Get MORE from your Sensar® antenna!

NEW!

Scan/Seek/Channel Mode

- Displays signal strength of channels found with your off-air antenna
- Allows you to peak in signals prior to channel scan on your TV

Adjustable Amplifier

- Provides up to 10 dB of gain for increased performance
- Ability to lower gain in close range areas

Audio Feedback

- Great for when the wall plate is out of sight or out of reach
- Adjustable volume

Precise Aiming

- 100 point scale vs 4-5 lighted bars

High-Grade Digital Tuner

- Focuses only on U.S. digital broadcast frequencies (channels 2-51)
- Doesn't confuse non-TV broadcast signals (cell phone towers, wireless)
- Locates any channel that your television can receive

87669 TV Signal Meter, White, Retail Packaging
#RFL-342 1

S/O TV Signal Meter, Black, Retail Packaging
RFL-332

Specifications

- Dimensions: 4.5"H x 2.75"W x .76"D
- Unit weight: 0.18 lbs
- Cables/Outputs included: Antenna IN, Cable IN, TV1 OUT and TV2 OUT

Works with all amplified Sensar antennas

Easily find all available local programming

GET THESE FAVORITE NETWORKS PLUS MORE!

abcHD CBSHD HDTV FOXHD PBSHD

All network logos are trademarks of their respective companies.

WINEGARD

MADE & DESIGNED IN THE USA FOR US FREQUENCIES

MADE IN U.S.A.

◆ *Not UPS-able;* ▲ *Hazmat terms apply;* LS *Limited Supply*

WINEGARD

DIGITAL TV ANTENNAS

Antennas For FREE Digital Programming: ABC, CBS, NBC, FOX, PBS, CW, plus more!

SENSAR® III HDTV ANTENNA

Enjoy local programs in crisp, clear digital and HD FREE with the most popular and most reliable over-the-air antenna in the RV industry! Built-in amplifier and unique circuitry provides clear VHF/UHF reception whenever you park your RV. Raise, lower and rotate the antenna with hand crank from inside your RV. It's easy to install and lowers to only four inches above the roof while traveling. Antenna RV-3095 includes amplified antenna and lift assembly, +12 VDC white power supply with on/off switch, white interior control parts, 20 feet of 75 ohm coax cable, 6 ft. TV set cord. Antenna RV-7095 includes amplified antenna/lift, white control parts, no power supply or cable. Sensar® head U.S. Patent D500,496.

85412 Sensar III Antenna with Power Supply *#RV-3095* 1
85413 HD Sensar III Replacement head, amplified (RV-3095) *#RV-2005* 1
85415 Non-Amplified Sensar III Antenna *#RV-5095* 1
85414 Sensar III Antenna without Power Supply *#RV-7095* 1
80280 Leveling Mount (to replace a broken mount on old-style head) *#RP-2000* 6

WINEGARD



Sensar® Antenna Replacement Parts

SENSAR TV ANTENNA REPLACEMENT PARTS

87511 HD Sensar IV Integrated Replacement head, amplified *#RVW-205* 1
85413 HD Sensar III Replacement head, amplified *#RV-2005* 1
89496 Elevator Tube Assembly Kit. **Includes**: 2 elevator tubes #2750900, 2 grommets #2200340, 4 pins #5160817, 4 retaining rings #5160817, 1 rubber bumper #2240022, 1 self-drilling screw (#2160120) *#RP-2900* 1
80280 Leveling Mount Assembly Kit for pre-1990 models. **Includes**: 1 leveling mount #3200625, 4 spacers #3200626, 2 pins #5160817, 4 retaining rings (#5160818) *#RP-2000* 6
80285 Elevating Gear (Replaces #2200046), Poly Bagged *#RP-3000* 6
80293 Worm & Shaft Assembly *#RP-4000* 12
Spec. Ord. *Extra Long Worm & Shaft Assy.:* • #2750896, 12 1/4" with Directional Handle;
• #2764162, 14" without Directional Handle.
89495 Gear Housing Assembly Kit; **Includes**: 1 gear housing #2200049, 2 pins #5160817, 1 bearing #3200656, nuts #2200047, 1 bearing #3200657, 1 o-ring seal #5240603, 1 retaining ring (#5160817) *#RP-2049* 1
89497 Baseplate Boot Assembly Kit; **Includes:** 1 base plate #3100523, 10 screws #2160178, 1 rubber boot #3200154 *#RP-3523* 1
89492 Directional Handle Assembly Kit, Ivory. **Includes:** 1 directional handle #3200621, 1 ceiling plate #3200608, 4 screws #5160812, 1 spring #2160822 1 decal #5413002 *#RP-6200* 4
89493 Directional Handle Assembly Kit, White. **Includes** 1 directional handle #3200612, 1 ceiling plate #3200609, 4 screws #5160812, 1 spring #2160822 1 decal #5413002 *#RP-6300* 4
85159 Handle Spring *#RP-6822* 12
85169 Nylon Bearing *#RP-2658* 12
89499 Elevating Crank Kit, White **Includes:** 1 crank, 1 set screw (hex shaft) *#RP-6795* 12
80307 Elevating Crank with Set Screw, Ivory, Straight (Angled handle no longer available) *#RP-5000* 12

WINEGARD

ROADSTAR™ OMNIDIRECTIONAL HDTV ANTENNA

Omnidirectional, over-the-air HD antenna continuously receives VHF/UHF/FM signals from all directions, so you'll never have to adjust it. Built-in solid state amplifier boosts signals on average of 15dB on VHF, 20 dB on UHF. Power supply operates on 12 volt DC.

ROADSTAR RS-2000 SPECIFICATIONS

Height: antenna only: 2 3/16 inches;
Height: with mount: 8 3/16 inches;
Diameter: 21 1/2 inches;
Weight with mount & hardware: 5 pounds;
Bandpass: VHF/FM: 54-216 mHz;
..... UHF: 470-810 mHz;
Amplifier gain: VHF: 15.5 dB avg.;
..... UHF: 19.5 dB avg.;
Impedance: 75 ohm;
Power required: 12VDC at 85 ma.

83315 RoadStar HD Antenna *#RS-2000* 1

WINEGARD ANTENNA TOOL



Antenna tool features a long shaft for tightening 15/16 gear housing nut for Sensar and crank-up RV satellite systems.

82263 Antenna Tool *#TT-1000** 6

All Winegard Antennas made is USA.

WINEGARD DUPLEX RECEPTACLE COVER

Weatherproof duplex electrical outlet cover to be used with any standard 117V duplex outlet.

14614 Cover, Ivory *#WB-1110* 12



SATELLITE RV RECEPTACLE

Single outdoor receptacle for 75 ohm coaxial cable satelite input. Features a thick gasket of closed cell neoprene which compresses to seal against most textured surfaces. Molded of tough Noryl® material. Stainless steel hardware helps prevent breakage and corrosion. S. steel mounting screws included.

82163 Single Satellite Receptacle, White *#WA-1024* 12

SEE MORE TV ACCESSORIES FROM WINEGARD IN THE FOLLOWING PAGES

WINEGARD ROOF WEDGE

Leveling mounting kit, for use on slanted roofs. Provides a level surface for proper installation of RD-4610 manual system & Sensar® RV antennas.

80416 Roof Wedge *#RW-2000* 6

REPLACEMENT PART FOR BRAUND ANTENNAS

WORM AND WORM GEAR KIT

Replacement gear set for Skyliner, Starliner, and Galaxy Antennas. Will not fit the Concord.

84657 Worm and Worm Gear Kit *#11901* 1

WINEGARD TV ANTENNAS

HIDEAWAY TV ANTENNA HA-0130

UHF/VHF/FM travel antenna picks up stations in all directions without rotor. Opens and closes like an umbrella, stores inside weatherproof tube for travel. Ideal for RVs, boats, mobile homes. Includes weatherproof housing with rain cap, shielded antenna cable with connectors, back-of-set UHF/VHF band separator, and hardware.

80005 Hideaway Antenna *#HA-0130* 1

TV ANTENNA RV-7020

Dipole bi-directional type TV-FM antenna for all RV applications. Straight forward dipole, 82-channel RV antenna provides excellent reception. Easy to install, lowers to side of vehicle when not in use. Complete kit includes hardware, mast and downlead.

80033 TV Antenna *#RV-7020* 1

DUAL ELECTRONICS AM/FM ANTENNA - SOFT WIRE

This Dual AM/FM antenna includes a 40" long flexible wire with plug.

15336 Antenna, Black *#MAW40* 1

DUAL ELECTRONICS AM/FM ANTENNA - FLEXIBLE MAST

These Dual AM/FM antennas offer a flexible mast for durability, 180° swivel base for increased mounting options, and a 52" cable.
- Angled mounting options allow you to install the antenna in the most convenient locations.
- Corrosion resistant for the marine environment.

Antenna, Flexible mast:

15333 Black *#MAR16B* 1

15335 White *#MAR16W* 1

RV DESIGNER TV HOOK-UP KIT

Includes exterior jack, interior wall plate and 6' hook-up cable. Gold connectors for high quality signal. Pk/1 set.

84637 White *#T201* 12

RV DESIGNER INTERIOR TV-HOOK UP CABLE

6' cable with screw-on connectors for permanent TV/video hook ups. Gold connectors for high quality signal. Pk/1.

Grade RG59 Cable:

84628 6' *#T173* 12

Satellite Grade RG6 TV Cable:

85324 6' *#T273* 12

RV DESIGNER FLAT CABLE HOOK-UP

Use flat cable through window sill, door jamb, for fast and easy installation of your satellite or cable TV hook-up. No more drilling! 8" long.

85322 Flat TV Cable *#T265* *1*

RV DESIGNER CABLE SPLICE

Join 2 TV/video cables for longer length. Gold for high quality signal. Pk/1.

84632 Cable Splice *#T187* *1*

RV DESIGNER CABLE CONVERTER – TWIST ON TO PUSH ON

Converts screw on connectors to push on for easy connect/disconnect. No tools required. Gold for high quality signal. Pk/2.

84629 Cable Converter *#T181* *1*

JR PRODUCTS CABLE TV A/B SWITCH BOX

This heavy duty coax source splitter is built of high impact ABS with a die cast steel interior and has solid push button constant contact operation. This unit is mounted direct, with no adhesives or brackets needed, and attaching screws are included. 75-ohm inputs-75-ohm outputs; Bandwidths 5-900MHz UHF-VHF-FM sources accepted. 90 dB high isolation. Has two inputs and one output connection.

45258 Cable TV A/B Switch Box, Packaged *#47845* *18*



84631 85323

RV DESIGNER CABLE CONNECTORS

Repair video cables, or remake to custom length. Connectors twist onto cable. No tools required. Gold for high quality signal. Pk/2.

For Grade RG59 Cable:

84631 RG59 Connectors *#T183* *1*

For Satellite Grade RG6 TV Cable:

85323 RG6 Connectors *#T283* *1*

88993, 84661 80012

WINEGARD CONNECTORS

COAX CONNECTORS

88993 Bag/12 F-59 Coax Connectors *#FC-5910* *12*

80012 Cable Adapter *#FS-8100* *6*

RG-6 COAX CONNECTORS

Used with RG-6 coax cable in satellite installations. RG-6 cable is slightly thicker than the standard RG-59, so it requires these connectors.

84661 Package of 2 RG-6 Connectors *#FC-5602* *12*

JR PRODUCTS INTERIOR/EXTERIOR TV INSTALLATION KIT

Comes complete with everything you need to install a cable TV hookup in your RV. The kit includes: interior plate, exterior weatherproof plate and 6' of our RG6 satellite ready coax.

45257 Installation Kit, Polar White, Packaged *#47815* *18*

45244

45248

JR PRODUCTS EXTERIOR TV CABLES

12' RG59 EXTERIOR CABLE

Screw on application with F-Style connections. Complete with weatherproof boots pre-installed.

45244 12' RG59 Exterior Cable, Packaged *#47395* *18*

12' RG6 EXTERIOR HD/SATELLITE CABLE

Recommended use for satellite connections, comes with weatherproof connections with O-Ring seals. Packaged.

45248 12' RG6 Exterior HD/Satellite Cable *#47445* *18*

45246

JR PRODUCTS INTERIOR TV CABLES

6' RG59 INTERIOR TV CABLE

Comes with push-on connections for easier installation and removal. Not recommended for HD/Satellite TV installations.

45245 6' RG59 Interior Cable, Packaged *#47405* *24*

6' RG6 INTERIOR TV CABLE

Screw on application with F-Style connections. Complete with weatherproof boots installed.

45246 6' RG6 Interior Cable, Packaged *#47425* *18*

JR PRODUCTS FLAT COAX CABLE

This unit is used to make interior/exterior connections without drilling an access hole or installing a permanent exterior plate. Simply place through any door or window and make the needed connections. This unit is not recommended for HD/Satellite use.

45247 Flat Coax Cable *#47435* *24*

WINEGARD 82-CHANNEL TWO-WAY SPLITTER

Two-way line splitter in cast metal housing with ground connection. For coupling or dividing signals on 75 ohm coaxial line. May be mounted outside when boots are used over connectors. All connections are "F" type suitable.

80008 2-Way Splitter *#SP-1002* 12

45235 45237

JR PRODUCTS TV/CABLE CONNECTORS

TV CABLE CONVERTER

This converter fits any F-Style coax end and makes the coax a push-on style connection. Not recommended for HD/Satellite connections.

45235 Cable Converter, Pk/2 *#47245* 24

TV CABLE SPLICE

Used to connect additional coax cable together.

45237 TV Cable Splice, Packaged *#47265* 24

TWIST-ON COAX END

45236 45238

Easy installation for quick repairs. Installs by stripping the coax outside covering and inside wire coating. Not recommended for HD/Satellite installations.

45236 RG59 Coax End, Pk/2 *#47255* 24

45238 RG6 Twist-On Coax Cable End, Packaged *#47275* 24

45239 45240

HD/SATELLITE COMPRESSION FITTING

This is a professional installation compression fitting. Completely weatherproof and recommended for use on HD/Satellite installations. Use of a professional JR Products compression tool is needed for installation.

HD/Satellite Compression Fitting, Pk/2:

45239 RG59 Fitting, Pk/2 *#47285* 24

45240 RG6 Fitting, Pk/2 *#47295* 24

JR PRODUCTS LINE SPLITTERS

2-WAY TV LINE SPLITTER

This splitter is used for multiple TV installations. It is rated at 900 MHz and will work with any F-Style coax connection. Not recommended for HD/Satellite TV connections. Packaged.

45241 Line Splitter *#47335* 24

2-WAY 2 GHz. HD/SATELLITE LINE SPLITTER

This splitter is used for multiple TV installations. It is rated at 2 GHz and will work with any F-Style coax connection. Recommended for HD/Satellite installations. Packaged.

45243 Line Splitter *#47355* 24



4-WAY 2 GHz. HD/SATELLITE LINE SPLITTER

This splitter is used for multiple TV installations. It is rated at 2 GHz and will work with any F-Style coax connection. Recommended for HD/Satellite installations. Packaged.

45242 4-Way Line Splitter *#47345* 18

JR PRODUCTS WEATHERPROOF OUTLET COVERS

DUPLEX WEATHERPROOF OUTLET COVER

The Duplex Weatherproof Outlet Cover is used in several applications, including to cover a standard two outlet electrical unit, as well as 5th wheel jack application switches. The spring loaded cover keeps the lid closed to protect the content from rain, snow, and dirt.

45249 Duplex Weatherproof Outlet Cover, Polar White, Packaged *#47505* 18

GFCI OUTLET COVER

This weatherproof unit is used to cover any GFCI style outlet. It is also used on many OEM units to cover 5th Wheel operator switches.

45250 GFCI Outlet Cover, Polar White, Packaged *#47515* 18

JR PRODUCTS EXTERIOR TV JACK

This unit comes with a 75 ohm F-Style connector and a flip-up door that stays open for easier access.

45252 Exterior TV Jack, Polar White, Packaged *#47755* 24

JR PRODUCTS INTERIOR PLATES

INTERIOR PHONE PLATE

This unit can be used for any typical home style phone connection.

45253 Interior Phone Plate, Polar White, Packaged *#47775* 18

INTERIOR CABLE TV PLATE

Interior Cable TV Plate has a 75 ohm F-Style connection. Works for any F-Style TV or satellite installations.

45254 Interior TV Plate, Polar White, Packaged *#47785* 18

JR PRODUCTS SQUARE CABLE TV PLATE

Square Cable TV Plate comes with a 75 ohm F-Style connector for use with cable TV connections or satellite hook-ups. Comes with a rubber dust cover.

45255 Square Cable TV Plate, Polar White, Packaged *#47795* 24

45256 Replacement Dust Cover, Packaged *#47805* 24

RV DESIGNER TV LINE SPLITTERS

2-WAY: Split 1 source signal to 2 locations. Gold connectors for high quality signal. 2-1/8" x 1-3/4".

84636 2-Way Line Splitter, Mounting screws included, Pk/1 *#T189* 1

4-WAY: Digital. Satellite grade.

85723 4-Way TV Line Splitter, Digital, Clamshell Pack *#T195* 1

WINEGARD ROOF-THRU-PLATE

Roof-through plate for RVs. Allows weatherproof entry of coaxial cable. Has 75-ohm "F" connector on each side.

80492 Roof Plate Jack *#RJ-1010* 6

RV DESIGNER WEATHERPROOF TV JACK

Use for outdoor cable TV connection. Flip-up cover protects connector from water, etc. Gold connector for high quality signal. 2" x 2". Screws included.

84620 White, Pk/1 *#T111* 1

WINEGARD WALL PLATE AMPLIFIER

The RA-7296 is a +12 VDC amplified wall plate with cable input jack and second set jack. Use with Winegard's non-amplified RV-5090, or any other non-amplified RV antenna. White.

82267 Winegard Wall Plate Amplifier *#RA-7296* 6

WINEGARD RV OUTDOOR RECEPTACLES

Outdoor receptacles for all RVs where TV, telephone and other appliances will be used outside the vehicle. Outlet covers feature a thick gasket of closed cell neoprene which compresses to seal against most textured surfaces. Molded of tough Noryl® material, equipped with stainless steel hardware to prevent breakage and corrosion. Stainless steel mounting screws included.

CABLE/TV RECEPTACLE

Cable/TV receptacle with two F-jacks for 75 ohm coaxial cable on TV output and cable input. Uses standard coax connectors.

82164 Cable /TV Receptacle, Ivory *#WA-1110* 6

TELEPHONE/TV RECEPTACLE

Receptacle with one F-jack and one modular telephone plug. F-jack accepts standard coax connectors; telephone jack has modular output and crew connections on input.

TV/Telephone Receptacle:

82165 White *#WT-1120* 6

86733 Ivory *#WT-1110* 6

POWER SUPPLY WITH CABLE TV OUTLET for Winegard Antennas

12VDC on/off power supply switch in flush mount wall plate with 2-way splitter, 75 ohm coax cable connection, on/off indicator light and a 12VDC receptacle. Includes 75 ohm input jack for an outside TV signal. Wall plate and power supply are designed as a 1-piece molded unit, and for added protection, feature a fused, printed circuit board.

Power Supply with Cable Outlet:

87362 Ivory *#RV-7012* 6

89514 White *#RV-7042* 6

WINEGARD TV ANTENNA/ SATELLITE WALL PLATE POWER SUPPLY

Combination TV antenna/ satellite wall plate power supply with cable input jack and built-in two set splitter. Equipped for input of satellite signal from external jack. White only. 1 per pack.

82266 Combination TV/Satellite Wall Plate, White *#RV-7542* 6

WINEGARD COAX-TYPE 12V TV OUTLET

Combination coaxial TV and convenient 12-V outlet. Fits standard electrical box or mounts directly on wall (if code permits). Ivory.

80047 12-V TV Outlet *#TG-7321* 6

JR PRODUCTS PLATES

CABLE/CABLE PLATE

Dual cable TV plugs. Flush mounted panel built of durable plastic that resists rust, UV and discoloring. One piece unit with cable plug covers built in makes this the perfect addition for use where satellite and cable TV are available.

27804 Cable/Cable Plate, Polar White, Pkg. *#543-B-2-A* 1

PHONE/CABLE PLATE

One piece phone/ cable plate is constructed of durable plastic that won't rust, fade or discolor. Access covers are constructed as part of the plate. Easy installation or replacement anywhere a cable TV and phone hook up is needed.

27803 Phone/Cable Plate, Polar White, Pkg. *#543-A-2-A* 1

JR PRODUCTS PHONE PLATE AND CABLE TV PLATE

The phone and cable TV plates are UV stable, easily installed, fade resistant, water resistant, and have a low profile design.

18317 Phone Plate, Polar White *#476-A-2-A* 1

18318 Cable TV Plate, Polar White *#476-B-2-A* 1

78839 Cable TV Plate, Colonial White *#476-B-1-A* 1

27801 Dust Cover Only Polar White *#475-PW-A* 1

WINEGARD 12V RECEPTACLE DUST COVER

84290 Dust Cover for 12V Receptacle, White *#DC-7341* 12

READY AMERICA STRONG ARM LCD REMOVABLE MOUNT

A new LCD Flat Panel Articulating Wall Mount for RV and Marine use! Holds up to 40 lbs. securely and fits up to 27" screens (VESA 75/100 mount pattern). The arm extends up to 16.4" away from the wall, and the head swivels +/- 20˚. Three hinge pivot system for limitless viewing angles. Easy 'On Demand' knob adjustment (no tools required). Two piece design for easy installation. Built in level and cord management hook.

86826 LCD Removable Mount *#MRV3500* 5

KING CONTROLS ACCESSORIES

RAIN FADE SOLUTION

Improves satellite TV reception during rain (white domes only).

Rain Fade Solution:

14291 5-oz. Spray *#1830* 12

14496 Single Wipe *#1830-SP* 1

DIAGNOSTIC TOOL

If you wish to receive your local channels from DIRECTV's 119 satellite or if you subscribe to Dish Network or ExpressVu programming, you must use the Diagnostic Keypad (#1844, not supplied with the antenna) to re-configure the antenna to work with your satellite service.

10997 Diagnostic Keypad *#1844* 1

DIRECTV Receiver w/universal IR remote.

13809 Reveiver *#D12* 1

MORE PRODUCTS FROM KING CONTROLS ARE ON PAGES 32 to 35!

FASTENING SOLUTIONS "THUMB LOCK" TV GRIP KITS

A high strength, easy-release fastening system that's versatile and simple to use. Holds portable TVs, laptops and counter-top appliances safely and securely. 3M adhesive pads remove cleanly. Safe for use on furniture and equipment. Two-corner kit holds 13" TV or similar size equipment.

TV Grip Kit:

41317 White *#MRV-100WT* 10

41318 Black *#MRV-100BK* 10

WINEGARD TV OUTLET, 75-OHM

Flush mounting 75-ohm TV outlet, input and output connection is through 75-ohm "F" jack. Not isolated.

80015 TV Outlet, Ivory *#OT-8700* 6

RV DESIGNER TV WALL PLATE

Interior wall connector for TV/video cable. Gold connector for high quality signal. 2-3/4" x 4-1/2". White plastic. Screws included. Pk/1.

84624 White *#T141* 36

JENSEN 24" LCD TELEVISION

JE2411RTL. Quick Overview: • Integrated HDTV (ATSC) Tuner • High performance wide 16:9 LCD panel • AC Power • 16.7 Million colors • HDTV Ready (1080p, 720p, 480p) • Convenient Front controls • Table top stand included • VESA 100mm x 100mm and 200mm x 100 mounting pattern • IR repeater allows you to operate JENSEN DVD player with the dual full function wireless remote control (included) with your JENSEN TV • CEC function with AWM975 or other Jensen CEC-equipped HDMI DVD players • Overall Dimensions: 23"W x 15.5"H x 4"D • Weight: 12 lbs.

17536 24" AC LCD Television *#JE2411RTL* 1

DUAL XP265 2-WAY 6.5" SPEAKERS

• 6.5" 2-way speaker with silver anodized PVA treated cone and black surround; • ABS framed metal mesh grille; • Sensitivity 89 dB; • Freq. Response 60 Hz - 20 kHz; • Recommended Power range: 2-50 watts (RMS); • 120 watts peak (IPP).

14426 2-way 6.5" Speakers, Silver & Black *#DS652* 6

JENSEN LCD TV’s MADE FOR RV’S

Enjoy your favorite TV shows or movies in dazzling picture clarity and superior sound quality on the only LCD TVs designed specifically for RV use. Built to withstand rugged road conditions, extreme temperatures, vibrations and voltage variations. The subframe consists of a reinforced internal structure and integrated mounting points. Single-piece metal chassis houses all internal components and does not rely on the plastic cosmetic cabinet as a mounting point, offering increased strength and stability for mobile environments.

JE1911RTL. Quick Overview: • 19" LCD Screen • 12 Volt DC Power (AC Adapter available) • 16:9 Aspect Ratio • Integrated HDTV (ATSC) tuner • HDTV Ready • Resolution 1440 x 900 • Brightness 400 Nit • High contrast ratio 1000:1 • Viewing Angles: 160/170 • Blunt Cut DC Power Cord included • Full Function Wireless Remote • Dimensions: 20.4"W x 15.2"H x 3"D.

10184 19” LCD Television AC/DC
#JE1911RTL 1

JE2611RTL. Quick Overview: • 26" Diagonal Screen • 16:9 LCD Panel • Integrated HDTV (ATSC) tuner • HDTV Ready (1080p, 1080i) • Resolution 1366 x 768 • Brightness 500 Nit • High contrast ratio 800:1 • HDMI input (2) • Tabletop stand included • Full Function Wireless Remote • Dimensions: 26.8"W x 18.7"H x 3.7"D (without stand). Weight 23 lbs.

14972 26” LCD Television 110-240V AC
#JE2611RTL 1

JE3211RTL. Quick Overview: • 32" Diagonal Screen • 16:9 LCD Panel • Integrated HDTV (ATSC) tuner • HDTV Ready (1080p, 1080i) • Resolution 1366 x 768 • Brightness 500 Nit • High contrast ratio 1500:1 • HDMI input (2) • Tabletop stand included • Full Function Wireless Remote • Dimensions: 32"W x 22"H x 4.3"D (without stand). Weight 35 lbs.

14976 32” LCD Television 100-240V AC
#JE3211RTL 1

UNIDEN® 40 CHANNEL PROFESSIONAL MOBILE CB RADIO

Features: front firing speaker, 3 instant weather channels, instant channel 9 button, one PA/CB switch (lets you instantly select either PA or normal CB operation), RF gain, squelch, LED signal strength meter, TX LED, heavy duty mic and mounting hardware.

751480 CB Radio *#PRO538W* 6

JENSEN WALL-MOUNT CD STEREO

Wallmount stereo with CD player keeps the music smooth with electronic CD skip protection (ESP). Plays CD, CD-R, CD-RW and includes electronic tune AM/FM radio with backlit digital display and controls. Preset EQ (Rock, Pop, Classic), clock and alarm, and speaker selector switch (A, B, A+B). Includes front auxiliary input, headphone jack, and hi-power. 12V DC. Dimensions: 10-1/2”W x 7”H x 4”D.

Supplemental Product Information:
• 50 Watts (12.5 W x 4) • Positive LCD Display • 30 Station Presets (18 FM, 12 AM) • 4 Ch Audio Output; 2 zones • Pushbutton Speaker Selector with LED Indicators • Remote trigger output (Power Antenna Circuit) • Auto-Dimming Display (Power Off) • Mounting Hole Dim.:9-3/4” W x 6-1/8” H x 3-1/8” D • Weight (Lbs) 4.7.

16380 AM/FM/CD Stereo Black
#AWM910 1

DUAL ELECTRONICS 3-WAY INDOOR/ OUTDOOR LOUD SPEAKERS, 100W

• Woofer: 4\" (100mm) Polyelite PVA surround; • Midrange: 40mm Polypropylene; • Tweeter: 20mm Piezo Dome; • Frequency Response: 100Hz-20kHz ±3dB; • Sensitivity: 85.5dB (2.83v @ 1 meter); • Nominal Impedance: 4-6Ω; • Power Handling: 50W RMS - 100W (IPP). 8.25" H x 5.25" W x 5.25" D; 2.8 lbs each.

3-Way Indoor/Outdoor Loud Speakers, 100W:

14427 Black, Pair *#LU43PB* 3
14428 White, Pair *#LU43PW* 3

JENSEN AWM975 AM/FM/CD/DVD /USB/WB/iPOD Ready Wallmount Stereo With HDMI Video Output

Powerful 132 watt DVD-CD-AM-FM MP3 wall mount stereo incorporates an HDMI output, an automotive grade DVD mechanism, and audio outputs for three zones. The NOAA weather band tuner delivers regional weather information and emergency weather alerts. Use the front USB or the mini-jack inputs to play personal music files. Rear audio-video inputs send other video content to your TV. 30 station presets, clock with sleep timer and alarm, backlit buttons, and a wireless remote control.

Supplemental Product Information:
• 132 watts • 3-zone (A, B, C) audio output • 7-station NOAA weatherband tuner • Full iPod* audio controls and charging (requires interface cable - sold separately) • HDMI with CEC video output • Digital audio inputs (1-Optical, 1-Coaxial) • Front USB supports MP3 /WMA/JPEG formats • Front AUX A/V input (1/8” jack), rear AUX A/V input (RCA jack), rear AUX audio input (RCA jack), 2 rear video composite outputs • Alarm clock with sleep timer
• Low, medium and high adjustable LCD dimmer settings • Wireless remote included • Mounting Hole Size: 9-3/8”W x 6-1/8”H x 5-1/4”D.

17535 AM/FM/DVD/iPod/HDMI Stereo Black
#AWM975 3

PIONEER AVICX930BT 6.1'' AHA/PANDORA APP. MODE

In-dash Navigation with Built In Bluetooth technology and 6.1" WVGA Touch panel screen.

Features: • Listen to Your Pandora Internet Radio Stations using an iPhone® with Pandora App • Dual Zone Audio/Video
• Partial Detachable Face Security.

Specifications: • Screen Size/Aspect Ratio 6.1"/16:9 Resolution WVGA (800x480)
• Touch Panel Operation: Yes
• Anti-Glare Coated LCD Screen: Yes
• Picture Adjustment: Yes.

Special Order #**15667** In-Dash All-In-1 Navigation System *#AVICX930BTKIT*

JENSEN®

DESIGNED TO MOVE [YOU]®

...the ONLY premium audio/video brand designed, engineered, tested & built exclusively for over-the-road use.

JENSEN® the only brand of LCD TVs engineered to withstand over-the-road use.

- Resistant to extreme temperatures, humidity and corrosion
- Reinforced mounting points
- Vibration resistant - tested up to 2G's

10184 19" AC/DC LCD TV *#JE1911RTL* 1
17536 ***NEW!*** 24" AC LCD TV *#JE2411RTL* 1
14972 26" AC LCD TV *#JE2611RTL* 1
14976 32" AC LCD TV *#JE3211RTL* 1

AC power • Wide viewing angles • HDTV Ready (1080p, 720p, 480p) • Convenient front controls and speakers • Full function wireless remote control included • CEC function with AWM975 or other Jensen CEC-equipped HDMI DVD players. This feature allows you to control both the TV and DVD player with one remote.

AWM910 (#16380) - AM/FM/CD

- 50 watts • Plays audio CD, CD-R, CD-RW discs
- 10 second electronic skip protection
- Alarm clock
- Front auxiliary audio input cable for use with your portable devices
- 2-zone (A,B) audio output.

16380 AM/FM/CD Stereo Black *#AWM910* 1

AWM970 - AM/FM/CD/DVD/USB (#16381)

- 132 watts • AUX A/V in (front and rear)
- 2 composite video outputs
- 3-zone (A, B, C) audio output
- Front USB input supports MP3/WMA/JPEG formats
- Alarm clock with sleep timer
- Low, medium and high adjustable LCD dimmer settings
- Wireless remote included.

AWM975 (#17535) AM/FM/CD/DVD/WB/USB/iPOD/HDMI

- 132 watts • 3-zone (A, B, C) audio output
- 7-station NOAA weatherband tuner
- Full iPod* audio controls and charging (requires interface cable - sold separately)
- HDMI with CEC video output
- Digital audio inputs (1-Optical, 1-Coaxial)
- Front USB supports MP3/WMA/JPEG formats
- Front AUX A/V input (1/8" jack), rear AUX A/V input (RCA jack), rear AUX audio input (RCA jack), 2 rear video composite outputs
- Alarm clock with sleep timer
- Low, medium and high adjustable LCD dimmer settings
- Wireless remote included.

17535 ***NEW!*** AM/FM/DVD/iPOD/HDMI Stereo Black *#AWM975* 3

ASA electronics
THE MOBILE ELECTRONICS COMPANY SINCE 1977

Voyager® Observation Systems

#1 Observation System for over-the-road use.

See Section N for more on Voyager"

Digital Wireless Observation System

FEATURING WiSight™ technology

WVOS511 (#14971)

Now you have a reliable choice for true wireless observation. Our wireless observation system features WiSight™ technology which digitally-locks together the high definition back up camera with the monitor, while eliminating any outside interference.

- Easy installation
- 5.6" Monitor comes with suction cup mount and 12 volt DC plug for easy portability
- Camera connects to 12 volt power
- Signal transmits through and around objects up to 60+ feet away
- Sharp, clear, digital picture

EXPAND your vision™

VSS7694TILT (#14435)

7" LCD Quad-view monitor, rear tilt camera, two side body cameras, two 15' cables, 65' extension cable and 4" monitor mount.

AOS562 (#16198)

5.6" LCD monitor, rear camera, 75' cable and 4" monitor mount.

AOS701 (#14443)

7" LCD monitor, rear camera, 75' cable and 4" monitor mount.